

Package: fasterElasticNet (via r-universe)

September 13, 2024

Type Package

Title An Amazing Fast Way to Fit Elastic Net

Version 1.1.2

Date 2018-08-01

Description Fit Elastic Net, Lasso, and Ridge regression and do cross-validation in a fast way. We build the algorithm based on Least Angle Regression by Bradley Efron, Trevor Hastie, Iain Johnstone, etc. (2004)([doi:10.1214/009053604000000067](https://doi.org/10.1214/009053604000000067) >) and some algorithms like Givens rotation and Forward/Back Substitution. In this way, many matrices to be computed are retained as triangular matrices which can eventually speed up the computation. The fitting algorithm for Elastic Net is written in C++ using Armadillo linear algebra library.

Depends R (>= 3.1.0)

License GPL (>= 2)

Imports Rcpp (>= 0.12.16)

LinkingTo Rcpp, RcppArmadillo

Suggests knitr, rmarkdown

URL <https://github.com/CUFESAM/Elastic-Net>

BugReports <https://github.com/CUFESAM/Elastic-Net/issues>

Repository <https://cufesam.r-universe.dev>

RemoteUrl <https://github.com/cufesam/elastic-net>

RemoteRef HEAD

RemoteSha e4d85dd7a617073545e9d62957367d6443c8ca8d

Contents

fasterElasticNet-package	2
elasticnet	3
ElasticNetCV	4
housing	5

fasterElasticNet-package

Fitting ElasticNet in a fast way.

Description

FasterElasticNet uses some math algorithm such as cholesky decomposition and forward solve etc. to reduce the amount of computation. We also use Rcpp with Armadillo to improve our algorithm by speeding up almost 5 times compared by the R version.

Details

To use fasterElasticNet, dataset $x(m \times n)$ and $y(m \times 1)$ should be put into the function to fit the model. Then, a completely trace of λ_1 and λ_2 can be computed if no λ_1 and λ_2 were input by using ElasticNet. Using `cv.choosemodel` with the number of folds will returns a best model with smallest MSE after cross-validation. Using `output` to print the output and `predict` function will return the prediction based on a new dataset.

Author(s)

Jingyi Ma

Maintainer: Linyu Zuo <zuoze5959@gmail.com>

References

BRADLEY, EFRON, TREVOR, HASTIE, IAIN, JOHNSTONE, AND, ROBERT, TIBSHIRANI. LEAST ANGLE REGRESSION[J]. The Annals of Statistics, 2004, 32(2): 407-499

See Also

<https://github.com/CUFESAM/Elastic-Net>

Examples

```
#Use R built-in datasets mtcars for a model fitting
x <- mtcars[,-1]
y <- mtcars[, 1]

#fit model
model <- ElasticNetCV(x,y)

#fit a elastic net with lambda2 = 1
model$Elasticnet_(lambda2 = 1)

#choose model using cv
model$cv.choosemodel(k = 31) #Leave-one-out cross validation
model$output() #See the output
```

```
#predict
pre <- mtcars[1:3,-1]
model$predict(pre)
```

elasticnet

A fast way fitting elastic net using RcppArmadillo

Description

Elastic net is a regularization and variable selection method which linearly combines the L1 penalty of the lasso and L2 penalty of ridge methods. Based on this method, elastic-net is designed to return the trace of finding the best linear regression model. Compared with the existed R version of ElasticNet, our version speeds up the algorithm by using Cholesky decomposition, Givens rotation and RcppArmadillo.

Usage

```
elasticnet(XTX, XTY, lam2, lam1 = -1)
```

Arguments

XTX	The product of the transpose of independent variable X and itself.
XTY	The product of the transpose of independent variable X and response variable Y
lam1	Penalty of L1-norm. No L1 penalty when lam1 = -1
lam2	Penalty of L2-norm, a hyper-paramater

Details

When only lambda2 is given, elasticnet will return the trace of variable selection with lambda1 decreasing from lambda1_0 to zero. lambda1_0 is a value for lambda1 when there is only one predictor (the one most correlated with the response variable) in the model.

If lambda1 and lambda2 are both given, it will also return a trace. But in this case, the trace will stop when lambda1 and lambda2 reach the given ones.

To speed up the algorithm, we use some calculational tricks:

In the consideration of the low efficiency of R dealing with high-dimensional matrix, we use lower triangular matrices during the iteration of the algorithm to avoid massive matrix calculations. When adding one predictor into the model, we update XTX by recalculating the lower triangular matrix in the Cholesky decomposition of it. While removing one predictor from the model, we update the lower triangular matrix with the help of Givens rotations.

Furthermore, due to the low efficiency of R dealing with loops, we rewrite the entire algorithm with RcppArmadillo, a C++ linear algebra library.

Value

A list will be returned. When only `lambda2` is given, the returned list contains the trace of `lambda1` (`relamb`) and the corresponding coefficients of the predictors (`reb`). If both `lambda1` and `lambda2` are given, the corresponding coefficients of the predictors will be returned.

Examples

```
#Use R built-in datasets mtcars for a model fitting
x <- as.matrix(mtcars[,-1])
y <- as.matrix(mtcars[, 1])

XTX <- t(x) %*% x
XTY <- t(x) %*% y

#Prints the output of elastic net model with lambda2 = 0
res <- elasticnet(XTX,XTY,lam2 = 0)
```

ElasticNetCV

*Cross validation***Description**

Computes k-fold cross-validation for elastic net.

Usage

```
ElasticNetCV(x, y)
```

Arguments

<code>x</code>	A data.frame or matrix of predictors
<code>y</code>	A vector of response variables

Details

This function reads data into its environment and returns a list of three outcomes. To perform elastic net or cross-validation of elastic net, use the corresponding element of the returned list. See examples below. The penalty of L1-norm and L2-norm is denoted by `lambda1` and `lambda2` respectively.

Value

`cv.choosemodel` Given the parameter `k` folds and `lambda2` (optional), `cv.choosemodel` performs cross-validation to select the optimal `lambda1` and computes the corresponding coefficient of each variable. If `lambda2` is `NULL`, `cv.choosemodel` selects the optimal `lambda2` from a sequence going from 0 to 1 in steps of 0.1 and the corresponding optimal `lambda1`, then it returns the coefficient of each variable.

A list of three outcomes will be returned:

Elasticnet	Given lambda1 (optional) and lambda2, Elasticnet_ calculates an elastic net-regularized regression and returns the coefficients of each variable. If lambda1 is NULL, Elasticnet_ prints out the trace of lambda1 and the corresponding coefficient of each variable.
output	Prints the cross-validation outputs, including the minimum MSE, the coefficient of each variable, lambda1 and lambda2.
predict	Reads a data.frame of the testing data set and returns predictions using the trained model.

Examples

```
#Use R built-in datasets mtcars for a model fitting
x <- mtcars[,-1]
y <- mtcars[, 1]

#fit model
model <- ElasticNetCV(x,y)

#fit a elastic net with lambda2 = 1
model$Elasticnet_(lambda2 = 1)

#choose model using cv
model$cv.choosemodel(k = 31) #Leave-one-out cross validation
model$output() #See the output

#predict
pre <- mtcars[1:3,-1]
model$predict(pre)
```

housing

Housing data from kaggle

Description

A subdata from kaggle "Get start" competition

Usage

```
data("housing")
```

Format

A data frame with 10153 observations on the following 140 variables.

floor for apartments, floor of the building

area_m Area, sq.m.

green_zone_part Proportion of area of greenery in the total area

indust_part Share of industrial zones in area of the total area

preschool_quota Number of seats in pre-school organizations
preschool_education_centers_raion Number of pre-school institutions
school_quota Number of high school seats in area
school_education_centers_raion Number of high school institutions
school_education_centers_top_20_raion Number of high schools of the top 20 best schools
in Moscow
healthcare_centers_raion Number of healthcare centers in district
university_top_20_raion Number of higher education institutions in the top ten ranking of the
Federal rank
sport_objects_raion Number of higher education institutions
additional_education_raion Number of additional education organizations
culture_objects_top_25_raion Number of objects of cultural heritage
shopping_centers_raion Number of malls and shopping centres in district
office_raion Number of malls and shopping centres in district
build_count_block Share of block buildings
build_count_wood Share of wood buildings
build_count_frame Share of frame buildings
build_count_brick Share of brick buildings
build_count_monolith Share of monolith buildings
build_count_panel Share of panel buildings
build_count_foam Share of foam buildings
build_count_slag Share of slag buildings
build_count_before_1920 Share of before_1920 buildings
build_count_1921.1945 Share of 1921-1945 buildings
build_count_1946.1970 Share of 1946-1970 buildings
build_count_1971.1995 Share of 1971-1995 buildings
build_count_after_1995 Share of after_1995 buildings
kindergarten_km Distance to kindergarten
school_km Distance to high school
park_km Distance to park
green_zone_km Distance to green zone
industrial_km Distance to industrial zone
water_treatment_km Distance to water treatment
cemetery_km Distance to the cemetery
incineration_km Distance to the incineration
railroad_station_walk_min Time to the railroad station (walk)
railroad_station_avto_km Distance to the railroad station (avto)
railroad_station_avto_min Time to the railroad station (avto)

public_transport_station_min_walk Time to the public transport station (walk)
water_km Distance to the water reservoir / river
mkad_km Distance to MKAD (Moscow Circle Auto Road)
big_road1_km Distance to Nearest major road
big_road2_km The distance to next distant major road
railroad_km Distance to the railway / Moscow Central Ring / open areas Underground
bus_terminal_avto_km Distance to bus terminal (avto)
oil_chemistry_km Distance to dirty industries
nuclear_reactor_km Distance to nuclear reactor
radiation_km Distance to burial of radioactive waste
power_transmission_line_km Distance to power transmission line
thermal_power_plant_km Distance to thermal power plant
ts_km Distance to power station
big_market_km Distance to grocery / wholesale markets
market_shop_km Distance to markets and department stores
fitness_km Distance to fitness
swim_pool_km Distance to swimming pool
ice_rink_km Distance to ice palace
stadium_km Distance to stadium
basketball_km Distance to the basketball courts
hospice_morgue_km Distance to hospice/morgue
detention_facility_km Distance to detention facility
public_healthcare_km Distance to public healthcare
university_km Distance to universities
workplaces_km Distance to workplaces
shopping_centers_km Distance to shopping centers
office_km Distance to business centers/ offices
additional_education_km Distance to additional education
preschool_km Distance to preschool education organizations
big_church_km Distance to large church
church_synagogue_km Distance to Christian churches and Synagogues
mosque_km Distance to mosques
theater_km Distance to theater
museum_km Distance to museums
exhibition_km Distance to exhibition
catering_km Distance to catering
green_part_500 The share of green zones in 500 meters zone

prom_part_500 The share of industrial zones in 500 meters zone
 office_count_500 The number of office space in 500 meters zone
 office_sqm_500 The square of office space in 500 meters zone
 trc_count_500 The number of shopping malls in 500 meters zone
 trc_sqm_500 The square of shopping malls in 500 meters zone
 cafe_count_500_na_price Cafes and restaurant bill N/A in 500 meters zone
 cafe_count_500_price_500 Cafes and restaurant bill, average under 500 in 500 meters zone
 cafe_count_500_price_1000 Cafes and restaurant bill, average 500-1000 in 500 meters zone
 cafe_count_500_price_1500 Cafes and restaurant bill, average 1000-1500 in 500 meters zone
 cafe_count_500_price_2500 Cafes and restaurant bill, average 1500-2500 in 500 meters zone
 cafe_count_500_price_4000 Cafes and restaurant bill, average 2500-4000 in 500 meters zone
 cafe_count_500_price_high Cafes and restaurant bill, average over 4000 in 500 meters zone
 big_church_count_500 The number of big churches in 500 meters zone
 church_count_500 The number of churches in 500 meters zone
 mosque_count_500 The number of mosques in 500 meters zone
 leisure_count_500 The number of leisure facilities in 500 meters zone
 sport_count_500 The number of sport facilities in 500 meters zone
 market_count_500 The number of markets in 500 meters zone
 green_part_1000 The share of green zones in 1000 meters zone
 prom_part_1000 The share of industrial zones in 1000 meters zone
 office_sqm_1000 The square of office space in 1000 meters zone
 trc_count_1000 The number of shopping malls in 1000 meters zone
 trc_sqm_1000 The square of shopping malls in 1000 meters zone
 cafe_count_1000_na_price Cafes and restaurant bill N/A in 1000 meters zone
 cafe_count_1000_price_high Cafes and restaurant bill, average over 4000 in 1000 meters zone
 big_church_count_1000 The number of big churches in 1000 meters zone
 mosque_count_1000 The number of mosques in 1000 meters zone
 leisure_count_1000 The number of leisure facilities in 1000 meters zone
 sport_count_1000 The number of sport facilities in 1000 meters zone
 market_count_1000 The number of markets in 1000 meters zone
 green_part_1500 The share of green zones in 1500 meters zone
 prom_part_1500 The share of industrial zones in 1500 meters zone
 office_sqm_1500 The square of office space in 1500 meters zone
 trc_count_1500 The number of shopping malls in 1500 meters zone
 trc_sqm_1500 The square of shopping malls in 1500 meters zone
 cafe_count_1500_price_high Cafes and restaurant bill, average over 4000 in 1500 meters zone
 mosque_count_1500 The number of mosques in 1500 meters zone

sport_count_1500 The number of sport facilities in 1500 meters zone
market_count_1500 The number of markets in 1500 meters zone
green_part_2000 The share of green zones in 2000 meters zone
prom_part_2000 The share of industrial zones in 2000 meters zone
office_sqm_2000 The square of office space in 2000 meters zone
trc_count_2000 The number of shopping malls in 2000 meters zone
trc_sqm_2000 The square of shopping malls in 2000 meters zone
mosque_count_2000 The number of mosques in 2000 meters zone
sport_count_2000 The number of sport facilities in 2000 meters zone
market_count_2000 The number of markets in 2000 meters zone
green_part_3000 The share of green zones in 3000 meters zone
prom_part_3000 The share of industrial zones in 3000 meters zone
office_sqm_3000 The square of office space in 3000 meters zone
trc_count_3000 The number of shopping malls in 3000 meters zone
trc_sqm_3000 The square of shopping malls in 3000 meters zone
mosque_count_3000 The number of mosques in 3000 meters zone
sport_count_3000 The number of sport facilities in 3000 meters zone
market_count_3000 The number of markets in 3000 meters zone
green_part_5000 The share of green zones in 5000 meters zone
prom_part_5000 The share of industrial zones in 5000 meters zone
trc_count_5000 The number of shopping malls in 5000 meters zone
trc_sqm_5000 The square of shopping malls in 5000 meters zone
mosque_count_5000 The number of mosques in 5000 meters zone
sport_count_5000 The number of sport facilities in 5000 meters zone
market_count_5000 The number of markets in 5000 meters zone
price_doc I don't know

Source

www.kaggle.com

Examples

```
data(housing)
```

Index

- * **datasets**

- housing, [5](#)

- * **package**

- fasterElasticNet-package, [2](#)

elasticnet, [3](#)

ElasticNetCV, [4](#)

fasterElasticNet

- (fasterElasticNet-package), [2](#)

fasterElasticNet-package, [2](#)

housing, [5](#)